

表2供试样本间的遗传相似系数

Table 2 The genetic similarity coefficients of the samples

编号 No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1	1.0000																								
2	0.7359	1.0000																							
3	0.7927	0.6804	1.0000																						
4	0.7130	0.6727	0.6667	1.0000																					
5	0.7635	0.6735	0.7485	0.6697	1.0000																				
6	0.6590	0.6538	0.6433	0.6444	0.6272	1.0000																			
7	0.7568	0.6814	0.7577	0.6380	0.7938	0.6297	1.0000																		
8	0.7681	0.6973	0.7802	0.6890	0.7888	0.6647	0.7987	1.0000																	
9	0.7809	0.6826	0.7331	0.6585	0.7688	0.6158	0.7508	0.7905	1.0000																
10	0.7273	0.6767	0.7771	0.6472	0.6837	0.6287	0.7453	0.7739	0.7201	1.0000															
11	0.6522	0.6469	0.6757	0.6224	0.6203	0.6336	0.6181	0.6677	0.6328	0.6770	1.0000														
12	0.7795	0.7237	0.7591	0.6900	0.7357	0.6958	0.7554	0.7944	0.7256	0.7803	0.7147	1.0000													
13	0.7313	0.6472	0.7317	0.6231	0.7190	0.6294	0.7492	0.7664	0.7853	0.6975	0.5942	0.6935	1.0000												
14	0.5767	0.6216	0.5877	0.5915	0.5587	0.5744	0.5607	0.5710	0.5833	0.5625	0.6458	0.5814	0.5735	1.0000											
15	0.6580	0.6776	0.6472	0.6047	0.6218	0.5925	0.6481	0.6540	0.6687	0.6476	0.6377	0.6406	0.6777	0.6677	1.0000										
16	0.6753	0.6512	0.6794	0.6369	0.6343	0.6145	0.6512	0.6618	0.7021	0.6458	0.6029	0.6437	0.6907	0.5917	0.6617	1.0000									
17	0.6923	0.6686	0.7018	0.6167	0.6801	0.6182	0.6831	0.7038	0.7251	0.6786	0.6395	0.6705	0.7341	0.5959	0.6794	0.7699	1.0000								
18	0.6390	0.6431	0.6617	0.6235	0.6452	0.6059	0.6479	0.6939	0.6687	0.6832	0.6276	0.6549	0.6829	0.6018	0.6636	0.7563	0.7688	1.0000							
19	0.7101	0.6813	0.6851	0.6287	0.6638	0.6207	0.6764	0.7122	0.7130	0.6867	0.6232	0.6979	0.7169	0.5982	0.6726	0.8076	0.7697	0.7729	1.0000						
20	0.6800	0.6657	0.6842	0.6228	0.6580	0.6149	0.6561	0.6862	0.7121	0.6757	0.6268	0.6871	0.7006	0.5924	0.6815	0.7199	0.7744	0.7337	0.7895	1.0000					
21	0.6959	0.6667	0.6657	0.5901	0.6445	0.5739	0.6424	0.6579	0.6879	0.6369	0.5896	0.6351	0.6970	0.5735	0.6479	0.7165	0.6932	0.6527	0.6864	0.6805	1.0000				
22	0.5465	0.5859	0.5029	0.5354	0.5014	0.5287	0.4986	0.5355	0.5059	0.5258	0.5399	0.5369	0.5284	0.5510	0.5613	0.5512	0.5246	0.5366	0.5582	0.5385	0.5901	1.0000			
23	0.6715	0.6520	0.6275	0.6426	0.6541	0.6537	0.6329	0.6825	0.6677	0.6517	0.6667	0.6884	0.5909	0.5970	0.5824	0.6178	0.6494	0.6140	0.6427	0.6512	0.6374	0.5754	1.0000		
24	0.5930	0.6250	0.5627	0.5994	0.5702	0.5818	0.5539	0.5923	0.5672	0.6037	0.5745	0.6030	0.5668	0.5670	0.5861	0.6140	0.6179	0.6250	0.6205	0.6000	0.6000	0.5842	0.6098	1.0000	
25	0.5924	0.6147	0.5851	0.5692	0.5601	0.5762	0.5668	0.5916	0.5902	0.5932	0.5882	0.5928	0.5994	0.6275	0.6352	0.6285	0.6472	0.6401	0.6400	0.6440	0.5994	0.5833	0.5897	0.7049	1.0000

注: 1~25: 表 5 编号对应的试验材料

Note: 1~25: The No. of the tested materials shown in table 5