

表 3 欧氏距离系数检测开花相关基因 *LFY* 间相对密码子相对使用频率

Table 3 Codon usage bias between samples of *LFY* genes evaluating by Squared Euclidean distance

	甜橙 <i>Citrus sinensis</i>	桃 <i>Prunus persica</i>	葡萄 <i>Vitis vinifera</i>	芒果 <i>Mangifera indica</i>	枇杷 <i>Eriobotrya japonica</i>	甜杏 <i>Prunus dulcis</i>	苹果 <i>Malus</i>	砂梨 <i>Pyrus pyrifolia</i>	拟南芥 <i>Arabidopsis thaliana</i>
甜橙 <i>Citrus sinensis</i>	0.000								
桃 <i>Prunus persica</i>	3.213	0.000							
葡萄 <i>Vitis vinifera</i>	3.918	4.024	0.000						
芒果 <i>Mangifera indica</i>	2.652	3.695	4.295	0.000					
枇杷 <i>Eriobotrya japonica</i>	3.187	2.573	3.327	3.560	0.000				
甜杏 <i>Prunus dulcis</i>	3.035	1.240	3.747	3.622	2.237	0.000			
苹果 <i>Malus</i>	3.089	2.947	3.614	3.525	1.776	2.668	0.000		
砂梨 <i>Pyrus pyrifolia</i>	3.410	2.924	3.663	3.681	1.780	2.619	1.313	0.000	
拟南芥 <i>Arabidopsis thaliana</i>	4.500	4.992	4.625	4.257	4.409	4.981	4.452	4.784	0.000