

表 1 不同酿造高粱品种在海南地区栽培农艺性状差异

Table 1 Agronomic traits of different brewing sorghum cultivars in Hainan area

| 品种 | 晋杂 22 | 晋杂 102 | 汾酒梁 1 号 | 晋糯 4 号 | 晋杂 210 | 526626 | 晋 0742 | 晋糯 202 | 晋中 0592 | 晋糯 3 号 |
|----------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|
| 生育日数(天) | 105 | 102 | 106 | 107 | 107 | 107 | 107 | 108 | 108 | 111 |
| 株高(cm) | 162.78±10.66 | 161.84±7.32 | 132.02±3.07 | 151.45±7.81 | 143.04±10.9 | 102.58±5.53 | 133.97±3.59 | 153.78±7.41 | 121.73±4.21 | 158.60±4.34 |
| 茎粗(mm) | 15.55±1.92 | 13.69±1.78 | 13.35±1.81 | 12.91±0.45 | 12.84±1.07 | 10.93±2.59 | 10.76±0.66 | 15.64±1.01 | 14.30±0.85 | 13.70±1.46 |
| 主穗长度(cm) | 32.34±1.93 | 28.64±2.13 | 29.00±1.89 | 27.73±0.46 | 32.02±2.81 | 24.60±2.21 | 25.20±1 | 36.02±3.47 | 36.2±0.53 | 32.68±2.89 |
| 单穗粒重(g) | 88.33±24.48 | 66.91±14.45 | 59.78±14.72 | 62.44±11.66 | 59.69±5.59 | 52.11±23.79 | 38.75±4.36 | 100.71±17.82 | 88.50±11.67 | 86.07±24.42 |
| 千粒重(g) | 32.87±0.25 | 31.20±0.17 | 24.53±0.80 | 27.60±0.82 | 29.23±0.31 | 28.50±0.46 | 22.90±0.42 | 25.90±0.40 | 26.83±0.83 | 33.30±0.70 |